

Note: Page numbers in *italics* indicate figures.

- AANP, 95
- ACAM, 95
- action steps
  - overview, 105–109
  - for adrenal fatigue, 127–128
  - for high blood sugar and insulin resistance, 132–134
  - for human growth hormone deficiency, 146
  - for low metabolism and hypothyroidism, 138–139
  - for testosterone deficiency, 142–143
- adrenal fatigue, 78–80, 88, 123–128, 156–158
- adrenal glands
  - cortisol levels and, 99, 126
  - DHEA and, 63
  - hypoadrenia, 136–137
  - stress and cortisol levels, 64, 124–125
- aging process, 23–24, 35, 40, 72, 147–149
- alcohol, 108–109
- allergens, 110, 112
- Alzheimer's disease, 48, 115
- American Association of Naturopathic Physicians (AANP), 95
- American College for Advancement in Medicine (ACAM), 95
- androgen imbalances, 54
- androstenedione, 154
- anger and irritability, 70–71
- anti-inflammatory diet, 110–114
- anxiety, 64–65
  
- baby boomers, 148
- baseline hormone profile, 34–35, 97
- beverages, 111
- Bi-Est supplements, 116, 153, 164–165
- bioidentical hormone replacement therapy
  - administration routes, 160–162
  - as alternative to conventional HRT, 29, 37, 104
  - benefits, 40
  - criticisms, 33
  - effectiveness, 35, 101
  - emergence, 29
  - safety, 35–36
  - side effects, 36–37, 169–170
  - treatment protocols, 163–170
- bioidentical hormones
  - defined, 31
  - bioidentical hormones (*continued*)
    - molecular processes, 35
    - patents and, 38
    - sources, 31–32
    - testing of, 38–39
  - biological timelines, historic, 23
  - blood sugar, high, 88–89, 128–134
  - blood tests
    - for adrenal fatigue, 128
    - for estrogen deficiency, 118
    - for estrogen dominance with progesterone deficiency, 123
    - for high blood sugar and insulin resistance, 134
    - for human growth hormone deficiency, 146
    - for low metabolism and hypothyroidism, 139
    - for testosterone deficiency, 143
    - vs. saliva tests, 97–98, 109
  - blood vessels, 57, 60, 72, 81–82
  - bread and cereals, 110, 112
  - breast cancer
    - environmental toxins and, 48–49
    - estrogen supplements and, 31, 45, 76–77, 116
    - progesterone supplements and, 153
  - breast tissue function, iodine and, 46–47
  
  - causes of hormone imbalance
    - adrenal fatigue, 124–125
    - estrogen deficiency, 114–115
    - estrogen dominance with progesterone deficiency, 119–120
    - high blood sugar and insulin resistance, 129–130
    - human growth hormone deficiency, 144
    - low metabolism and hypothyroidism, 135–136
    - testosterone deficiency, 140–141
  - cell receptors, 36, 48
  - The China Study* (Campbell), 145
  - compounding pharmacist
    - finding practitioners, 96, 171
    - hormone cream conversions, 169
    - role of, 37–38
  - controlled trials, 33–34, 39
  - conventional hormone replacement therapy (HRT)
    - disadvantages, 103
    - estrogen deficiency and, 86

- conventional hormone replacement therapy (HRT) (*continued*)
  - heart disease and, 77
  - history, 29–30
  - synthetic hormones and, 32, 36
- conventional medicine
  - adrenal fatigue and, 88
  - cancer and, 76
  - menopause and, 29–30, 34–35, 86, 103
  - saliva tests and, 94–95
  - thyroid function and, 89, 136–137
- conversions, hormone creams, 169
- cortisol
  - adrenal fatigue and, 80, 156–158
  - functions of, 32, 126, 154–155
  - optimization, 79–80
  - progesterone and, 78–79, 98
  - saliva testing and, 98
  - treatment protocols, 166
- cretinism, 47
- dairy products, 111
- dehydroepiandrosterone, *see* DHEA
- dementia, 115
- depression, 66–68
- detoxification, 49
- DHEA
  - adrenal fatigue and, 156–158
  - defined, 154
  - hormone imbalances, 54, 63
  - testosterone deficiency and, 141–142
  - treatment protocols, 165–166
- DHEA-S, 154
- diabetes, 81–82, 88–89
- diet recommendations
  - overview, 105–106
  - anti-inflammatory diet, 110–114
  - hydration, 107–108
- disease prevention, 20
- doctor-patient relationship, 19
- drug
  - action mechanisms, 39
  - approvals, 30–31, 39, 77
  - patents, 38–39
  - testing, 33–34, 39
- emotional fragility, 69–70
- endocrine system, hormone production and, 48
- endometrial cancer, 76–77, 153
- endometrium, 32, 42, 43
- environmental pollutants, 47–49
- estradiol, 152
- estriol
  - embryo development and, 33
  - as supplement, 153
- estrogen
  - deficiency, 86, 114–118
  - deficiency myth, 30, 34–35
  - imbalance effects, 36
  - memory loss and, 72–73
  - menopause and, 44
  - menstrual cycle and, 42
- estrogen dominance, 44–46, 86–87, 118–123, 153
- estrone, 152
- fatigue, 62–63
- fats, 111, 113
- FDA, 30–31, 39, 77
- Feminine Forever* (Wilson), 29–30
- five-hormone panel, 158–160
- follicles, 42, 43
- forgetfulness, 72–73, 114
- fruits, 110, 113
- goiter, 47
- grains, 110, 112
- Growth Hormone Releasing Hormone (GHRH), 90–91
- healing process, 19
- health food stores, 97
- health risks, xenoestrogens and, 48–49
- heart disease and stroke, 77–78
- heavy metals, 48, 49
- HGH deficiency
  - profile, 143–146
  - treatment protocols, 166–168
- HGH (human growth hormone), 90–91, 149
- high blood sugar, 128–129
- histology, ovarian and endometrial, 43
- holistic treatment approach
  - dietary actions, 104–106
  - exercise, 108
  - hydration, 107–108
  - naturopathic medicine and, 20
  - stimulants and alcohol reduction, 108–109
- hormone balance
  - free vs. bound levels, 98
  - imbalance survey, 25
  - imbalance symptoms, 21–22, 24
  - progesterone:estrogen ratios, 42, 44–46

- hormone balance (*continued*)
    - status pretest, 83–85
  - hormone health actions
    - overview, 105–109
    - for adrenal fatigue, 127–128
    - for high blood sugar and insulin resistance, 132–134
    - for human growth hormone deficiency, 146
    - for low metabolism and hypothyroidism, 138–139
    - for testosterone deficiency, 142–143
  - hormone health profiles
    - adrenal fatigue, 123–128
    - estrogen deficiency, 114–118
    - estrogen dominance with progesterone deficiency, 118–123
    - high blood sugar and insulin resistance, 128–134
    - human growth hormone deficiency, 143–146
    - low metabolism and hypothyroidism, 134–139
    - testosterone deficiency, 139–143
  - hormone imbalance health consequences
    - adrenal fatigue, 78–80
    - breast and endometrial cancer, 76–77
    - diabetes, 81–82
    - heart disease and stroke, 77–78
    - osteoporosis, 82–83
  - hormone imbalance symptoms
    - summary, 21–22, 24–25, 52
    - emotional side effects, 63–69
    - fatigue, 62–63
    - forgetfulness, 72–73
    - hot flashes and night sweats, 57
    - insomnia, 58–59
    - irritability and anger, 70–71
    - migraines, 60–61
    - obsessive and hypercritical thoughts, 74–75
    - sex drive effects, 55–56
    - weight gain, 52–54
  - hormone imbalances
    - adrenal fatigue, 88, 123–128
    - estrogen deficiency, 86, 114–118
    - estrogen dominance with progesterone deficiency, 86–87, 118–123
    - high blood sugar and insulin resistance, 88–89, 128–134
    - human growth hormone deficiency, 90–91, 143–146
    - low metabolism and hypothyroidism, 89, 134–139
  - hormone imbalances (*continued*)
    - side effects of, 36–37
    - survey of, 25
    - symptoms, 21–22, 24–25
    - testing for, 37
    - testosterone deficiency, 89, 139–143
    - timing of onset, 41
  - hormone levels
    - aging and, 35
    - baseline, 34–35, 97
    - free vs. bound, 98, 155
    - menstrual cycle and, 43
    - perimenopause and, 63, 66, 74, 120
  - hormone supplements, 116, 120–121
  - hot flashes and night sweats, 57
  - HRT, *see* conventional hormone replacement therapy
  - human growth hormone (HGH)
    - and aging process, 149
    - deficiency, 90–91, 143–146
  - human-identical hormones, *see* bioidentical hormones
  - hydration, 107–108
  - hypercritical thinking, 74–75
  - hypoadrenia, 136–137
  - hypothyroidism, 43, 89, 134–139, 159–160
- IACP, 96
- identity, core attributes of women, 23
  - insomnia, 59
  - insulin resistance, 88–89, 128–134
  - International Academy of Compounding Pharmacists (IACP), 96
  - iodine deficiency, 46–47, 159–160
  - irritability and anger, 66, 70–71
- Labrix Clinical Services, 171
- Lee, Dr. John, 29, 35, 45–46, 96, 163
- legumes, 111, 112
  - libido, 55–56, 140
  - life expectancy, 22–23, 147
  - low metabolism, 89
  - luteinizing hormone (LH), 140–141
- meats, 111, 112
- medical training, 151–152
  - medicine testing, 33–34
  - medroxyprogesterone (MP), 32
  - memory loss, 72–73, 114
  - menopause
    - positive nature of, 21–22, 26

- menopause (*continued*)
  - process of, 23
  - symptoms, 21–22, 24–25
- menstrual cycle, 41–42, 43
- metabolism, low, 89, 134–139
- migraines, 60–61
- Million Women Study, 30, 32, 39, 76
- molecular processes, 36
- MP (medroxyprogesterone), 32
  
- Natural Progesterone* (Lee), 29, 163
- naturopathic medicine, principles, 19–20
- new chemical entity (NCE), 38–39
- night sweats, 57
- nitric oxide, 115
- nutrition, 49
- nuts, seeds, and oils, 111, 113
  
- obesity, 81
- obsessive thoughts, 74–75
- organochlorines, 48
- osteoporosis
  - estrogen and, 34, 45
  - menopause and, 82–83
- ovaries
  - histology, 43
  - hormone messengers and, 42
  - menopause and, 44, 119–120
- ovulation, 41–42
  
- patents, 38–39
- perimenopause
  - conception and, 164–165
  - demographics, 148
  - hormone levels and, 63, 66, 74, 120
  - symptoms, 51, 57, 60, 141
- persistent organic pollutants (POP), 48, 49
- pharmaceutical industry
  - criticisms of bioidentical HRT, 29
  - drug patents and, 36, 37–38
  - petitions against bioidentical HRT drugs, 39
  - see also* Wyeth Pharmaceuticals
- Physician's Desk Reference*, 39
- plant-based hormones (phytohormones), 31–32, 120
- pollutants, environmental, 47–49
- practitioners, finding, 94–97
- Premarin
  - cancer risk and, 30–31, 76–77
  - heart disease and, 77
  - promotion of, 29–30
- premenstrual syndrome (PMS)
  - menopause and, 70–71
  - progesterone treatment and, 45, 46, 153
- PremPro
  - cancer risk and, 30–31
  - components of, 32
- prescriptions
  - customizing and monitoring, 100–101
  - hormone cream conversions, 169
  - obtaining, 94–95
- principles of naturopathic medicine, 19–20
- progesterone
  - deficiency, 86–87
  - functions of, 32–33, 153
  - menstrual cycle and, 42
  - osteoporosis and, 45–46
  - PMS treatment and, 45, 46
  - supplements, 120–121
  - treatment protocol, 163–164
- progesterone:estrogen ratio, 42, 44–46, 120, 153
- progestin and progestagen (synthetic progesterone), 30, 32, 33, 154
- proteins, 36, 111, 112
- Provera
  - heart disease and, 77–78
  - synthetic progesterone, 30
- Puget Sound Study, 76
  
- quality of life, 23–24
  
- Random Controlled Trial (RCT), 33–34, 39
- recommended daily allowance (RDA), iodine, 47
- remedies for hormone imbalance
  - adrenal fatigue, 125–128
  - estrogen deficiency, 115–118
  - estrogen dominance with progesterone deficiency, 120–123
  - high blood sugar and insulin resistance, 131–134
  - human growth hormone deficiency, 144–146
  - low metabolism and hypothyroidism, 136–139
  - testosterone deficiency, 141–143
- saliva testing
  - advantages, 97–99, 109, 155–156
  - cautions, 100
  - conventional medicine and, 94–95
  - of cortisol levels, 80
  - five-hormone panel, 158–160
  - of progesterone:estrogen ratios, 46

- saliva testing (*continued*)
  - re-testing, 101
  - timing, 99–100, 158
- salivary hormone panel
  - adrenal fatigue action steps, 128
  - estrogen deficiency action steps, 118
  - estrogen dominance with progesterone deficiency action steps, 122
  - high blood sugar and insulin resistance action steps, 134
  - human growth hormone deficiency action steps, 146
  - low metabolism and hypothyroidism action steps, 139
  - testosterone deficiency action steps, 143
- self-esteem, 68–69
- sermorelin, 90, 168
- sex drive, 55–56
- spices, 111, 113
- starches, 110
- stress
  - adrenal fatigue and, 78–79, 80, 88
  - alcohol effects, 109
  - anxiety and, 64
  - forgetfulness and, 72
  - hormone imbalances and, 41, 46, 106–107
  - migraines and, 60
  - progesterone deficiency and, 82
- supplements
  - Bi-Est (estrogen combination), 116, 153
  - progesterone, 120–121
- sweeteners, 112, 113
- symptoms, *see* hormone imbalance symptoms
- synthetic hormones
  - limitations, 32, 36
  - progestins, 32
  - see also* conventional HRT
- testing
  - baseline profile, 97
  - necessity of, 37
- testosterone
  - deficiency, 56, 89, 139–143
  - imbalance effects, 36–37
  - source and function, 154
  - treatment protocols, 165
- thyroid function, 43, 89
- thyroid peroxidase (TPO) antibodies, 136
- thyroid-stimulating hormone (TSH), 54, 136–137
- tissue structure, ovaries, 43
- topical hormone supplementation
  - heart health and, 78
  - measurement of, 97
  - progesterone, 45
- treating the whole person, 20
- treatment options, overview, 93–95
- treatment protocols
  - Bi-Est, 164–165
  - combination formulas, 168–169
  - cortisol, 166
  - DHEA, 165–166
  - HGH deficiency, 166–168
  - prescription percentages, 169
  - progesterone, 163–164
  - testosterone, 165
- urine tests, 123, 139, 159–160
- U.S. Food and Drug Administration (FDA), 30–31, 39, 77
- uterine lining, 42
- vegetables, 111, 112
- water and water quality, 107–108
- weight gain, 52–54
- What Your Doctor May Not Tell You About Menopause* (Lee), 35
- whole foods
  - adrenal fatigue action steps, 127–128
  - estrogen deficiency action steps, 116–117
  - estrogen dominance with progesterone deficiency action steps, 121–122
  - high blood sugar and insulin resistance action steps, 132–133
  - low metabolism and hypothyroidism action steps, 138
  - testosterone deficiency action steps, 142–143
- Wilson, Dr. Robert, 29–30
- Women's Health Initiative (WHI), 30–31, 32, 77
- Wyeth Pharmaceuticals, 29, 30, 39
  - see also* pharmaceutical industry
- xenoestrogens (XEs) and xenohormones, 48–49